Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	981	(xpath\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:17
S2	277	xml and (xpath\$1 with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:44
S3	94	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 07:31
S4	22	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1) and (hash\$3 with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 07:32
S5	21	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1) and (hash\$3 with table\$1) and search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:16
S6	5	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1) and (hash\$3 with table\$1) and (search\$3 with xpath)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 07:32
<b>S7</b>	14	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1) and (hash\$3 with table\$1) and search\$3 and (xpath with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 07:38
S8	3	xml and (xpath\$1 with quer\$3) and (node\$1 with table\$1) and (hash\$3 with table\$1) and search\$3 and (rule\$1 same combin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:16

S9	693	(xpath\$1) and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:27
S10	104	(xpath\$1) and table\$1 and (rule\$1 same combin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:28
S11	12	(xpath\$1) and table\$1 and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) and child\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:30
S12	12	xml and (xpath\$1) and table\$1 and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) and child\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:41
S13	41	xml and (xpath\$1) and table\$1 and (rule\$1 same combin\$5) and (list\$3 same (parent\$1 or root\$1 or child\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:33
S14	30	xml and (xpath\$1) and table\$1 and (rule\$1 same combin\$5) and (list\$3 same (parent\$1 or root\$1) and child\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:33
S15	409	table\$1 and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) and child\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:41
S16	95	table\$1 and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) with node\$1)) and (list same (child\$3 with node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:42

S17	19	table\$1 and (rule\$1 same	US-PGPUB;	OR	ON	2006/05/11 10:01
317	19	combin\$5) and (list same ((parent\$1 or root\$1) with node\$1)) and (list same (child\$3 with node\$1)) and ((permit\$3 or allowable) with node\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	ON	2000/03/11 10:01
S18	2	table\$1 and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) with node\$1)) and (list same (child\$3 with node\$1)) and ((permit\$3 or allowable) with node\$1) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:01
S19	34	xml and (xpath\$1 with quer\$3) and (rule\$1 same combin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:19
S20	0	xml and (xpath\$1 with quer\$3) and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) with node\$1)) and (list same (child\$3 with node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:19
S21	2	xml and (xpath\$1 with quer\$3) and (rule\$1 same combin\$5) and (list same ((parent\$1 or root\$1) same node\$1)) and (list same (child\$3 same node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:43
S22	9	xml and (xpath\$1 with quer\$3) and (hash with table with node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:49
S23	6	xml and (xpath\$1 with quer\$3) and (hash with table with node\$1) and ((list or set or group) same ((parent\$1 or root\$1) with node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 10:46
S24	0	xml and (xpath\$1 with quer\$3) and (hash with table with node\$1) and ((list or set or group) same ((parent\$1 or root\$1) with node\$1)) and ((list or set or group) same ((child\$3) with node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 11:23

S25	414	(combin\$5 same ((child\$3 and parent\$1) with node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 11:25
S26	29	(combin\$5 same ((child\$3 and parent\$1) with node\$1)) same rule\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 11:45
S27	0	(combin\$5 same ((child\$3 and parent\$1) with node\$1)) same rule\$1 and ((not\$1permited or not\$1allowed) with combin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 11:27
S28	35	(combin\$5 same ((child\$3 and parent\$1) with node\$1)) same (permitted or allow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:01
S29	0	(combin\$5 same ((child\$3 and parent\$1) with node\$1)) same (("not" or "non") near (permitted or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:03
S30	3	((child\$3 and parent\$1) with node\$1) same (("not" or "non") near (permitted or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:59
S32	1	("20020156711").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 14:49
S33	1	("20020156772").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 14:49
S34	1	S33 and (search\$3 same (node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:57

S35	2	((child\$3 and parent\$1) with node\$1) same (combin\$5 with (valid or "non valid"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:02
S36	2028	((search\$3 with table\$1) same node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:05
S37	158	((search\$3 with table\$1) same node) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:06
S38	1	((search\$3 with table\$1) same node) and xml and (combin\$5 with node same (allowed or valid or permitted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:08
S39	23	((search\$3 with table\$1) same node) and xml and (combin\$5 with node) and (allowed or valid or permitted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:17
S40	2	((search\$3 with table\$1) same node) and xml and (combin\$5 with node) and (allowed or valid or permitted) and (invalid or "not allowed" or "not permitted")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:09

C41	40	(("7013311") or ("6675353") or	LISPAT.	OR	OFF	2006/05/11 15:14
S41	48	(("7013311") or ("6675353") or ("6763499") or ("6959415") or ("6993715") or ("6996770") or ("7007230") or ("6996773") or ("6996571") or ("6868423") or ("6804677") or ("6745208") or ("7043686") or ("6904562") or ("6938204") or ("6832219") or ("6874141") or ("6832219") or ("6990632") or ("6901410") or ("6915304") or ("6785673") or ("6948078") or ("7017112") or ("6542911") or ("6772395") or ("6976211") or ("6772395") or ("6654734") or ("6772413") or ("6662342") or ("6839714") or ("6826568") or ("6496842") or ("6959416") or ("6125391") or	USPAT; USOCR	OR	OFF	2006/05/11 15:14
		("6959416") or ("6125391") or ("6226675") or ("6226675") or ("6502101") or ("6542912") or ("6947950") or ("6965903") or ("6898761") or ("6845380") or ("6668354")).PN.				
S42	174	((search\$3 with table\$1) same ((root or parent) near node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:18
S43	0	((search\$3 with table\$1) same ((root or parent) near node)) and (conbin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:19
S44	116	((search\$3 with table\$1) same ((root or parent) near node)) and (combin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:22
S45	0	((search\$3 with table\$1) same ((root or parent) near node)) and (combin\$5 with (invalid near node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:20

S46	0	((search\$3 with table\$1) same ((root or parent) near node)) and (combin\$5 same (invalid near node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:20
S47	1	((search\$3 with table\$1) same ((root or parent) near node)) and (combin\$5) and ((invalid or "not permitted" or "not allowed") near node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:21
S48	6	((search\$3 with table\$1) same ((root or parent) near node)) and (combin\$5) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:36
549	584	((search\$3 with node\$1) with child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:37
S50	176	((search\$3 with parent with node\$1) with child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:37
S51	122	((search\$3 with (parent near node\$1)) with child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:38
S52	13	((search\$3 with (parent near node\$1)) with child) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:38
S54	0	S33 and ("root_id" with child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:57

S55	0	S33 and ("root_id" same child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:58
S56	1	S33 and ("root_id" and child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:03
S57	278	(search\$3 with (parent\$1 near node\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:04
S58	122	(search\$3 with (parent\$1 near node\$1)) with child	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:04
S59	13	((search\$3 with (parent\$1 near node\$1)) with child) and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:05
S60	7604	((707/3) or (707/6) or (707/10)). CCLS.	USPAT; USOCR	OR	OFF	2006/05/11 20:31
S61	740	S60 and xml	USPAT	OR	OFF	2006/05/11 20:31
S62	22	S60 and xml and Xpath	USPAT	OR	OFF	2006/05/11 20:32

Page 8